

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Ashland P.O. Box 2219 Columbus, OH 43216	Regulatory Information Number Telephone Emergency telephone	1-800-325-3751 614-790-3333 1-800-ASHLAND (1-800-274-5263)
Product name	EAGLE ONE® BLUE CLEARCOAT CONDITIONER TRIPLE FOAMING CONDITIONER	
Product code	CBOOAE316-06-CP	
Product Use Description	No data	

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquid

CAUTION! MAY CAUSE EYE, SKIN AND RESPIRATORY TRACT IRRITATION.

Potential Health Effects

Exposure routes

Inhalation, Skin absorption, Skin contact, Eye Contact, Ingestion

Eye contact

Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin contact

Can cause skin irritation. Symptoms may include redness and burning of skin, and other skin damage. Passage of this material into the body through the skin is possible, but it is unlikely that this would result in harmful effects during safe handling and use.

Ingestion

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects. Swallowing large amounts may be harmful.

Inhalation

It is possible to breathe this material under certain conditions of handling and use (for example, during heating, spraying, or stirring). Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful.

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material:., skin

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:., stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways)

Target Organs

No data

Carcinogenicity

This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

There are no data available for assessing risk to the fetus from maternal exposure to this material.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Components	CAS-No.	Concentration
-----------------------------	----------------	----------------------

SODIUM SULFONATE C14-C16 ALKANE HYDROXY	68439-57-6	>=20-<30%
--	------------	-----------

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

4. FIRST AID MEASURES

Eyes

If symptoms develop, immediately move individual away from exposure and into fresh air. Flush eyes gently with water for at least 15 minutes while holding eyelids apart; seek immediate medical attention.

Skin

Remove contaminated clothing. Flush exposed area with large amounts of water. If skin is damaged, seek immediate medical attention. If skin is not damaged and symptoms persist, seek medical attention. Launder clothing before reuse.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, move individual away from exposure and into fresh air. If symptoms persist, seek medical attention. If breathing is difficult, administer oxygen. Keep person warm and quiet; seek immediate medical attention.

Notes to physician

Hazards: No information available.

Treatment: No information available.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water mist, Carbon dioxide (CO₂), Dry chemical

Hazardous combustion products

May form: carbon dioxide and carbon monoxide, various hydrocarbons

Precautions for fire-fighting

No special fire hazards are known to be associated with this product. Wear full firefighting turnout gear (full Bunker gear), and respiratory protection (SCBA). Use water spray to cool fire exposed

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing proper personal protective equipment should be excluded from area of spill.

Environmental precautions

Prevent run-off to sewers, streams or other bodies of water. If run-off occurs, notify proper authorities as required, that a spill has occurred.

Methods for cleaning up

Absorb liquid on vermiculite, floor absorbent or other absorbent material.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Avoid prolonged or repeated contact. Static ignition hazard can result from handling and use. Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.

Storage

Do not store near extreme heat, open flame, or sources of ignition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure controls

General room ventilation should be adequate for normal conditions of use. However, if unusual operating conditions exist, provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Eye protection

Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection

Wear resistant gloves (consult your safety equipment supplier).
Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Respiratory protection

Respiratory protection is not required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	liquid
Form	no data available
Colour	no data available
Odour	no data available
Boiling point/boiling range	212 °F / 100 °C @ 1,013.33 hPa Calculated Phase Transition Liquid/Gas
Melting point/range	no data available
Sublimation point	no data available
pH	8.5
Flash point	not applicable
Ignition temperature	no data available
Evaporation rate	no data available

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

Lower explosion limit/Upper explosion limit	no data available
Particle size	no data available
Vapour pressure	30.666 hPa @ 68 °F / 20 °C Calculated Vapor Pressure
Relative vapour density	no data available
Density	No data
Bulk density	no data available
Water solubility	no data available
Solubility	no data available
Partition coefficient: n-octanol/water	no data available
log Pow	no data available
Autoignition temperature	no data available
Viscosity, dynamic	no data available
Viscosity, kinematic	no data available
Solids in Solution	no data available
Decomposition temperature	no data available
Burning number	no data available
Dust explosion constant	no data available
Minimum ignition energy	no data available

10. STABILITY AND REACTIVITY

Stability

Stable.

Conditions to avoid

None known.

Incompatible products

Strong oxidizing agents

Hazardous decomposition products

May form:, carbon dioxide and carbon monoxide, various hydrocarbons

Hazardous reactions

Product will not undergo hazardous polymerization.

Thermal decomposition

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

No data

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

SODIUM SULFONATE C14-C16 ALKANE
HYDROXY : LD 50 Rat: 3,800 mg/kg

Acute inhalation toxicity

SODIUM SULFONATE C14-C16 ALKANE
HYDROXY : no data available

Acute dermal toxicity

SODIUM SULFONATE C14-C16 ALKANE
HYDROXY : LD 50 Rabbit: 6,300 mg/kg

12. ECOLOGICAL INFORMATION

Biodegradability

SODIUM SULFONATE C14-C16 ALKANE
HYDROXY : no data available

Bioaccumulation

SODIUM SULFONATE C14-C16 ALKANE
HYDROXY : no data available

Ecotoxicity effects

Toxicity to fish

SODIUM SULFONATE C14-C16 ALKANE
HYDROXY : no data available

Toxicity to daphnia and other aquatic invertebrates.

SODIUM SULFONATE C14-C16 ALKANE
HYDROXY : no data available

Toxicity to algae

SODIUM SULFONATE C14-C16 ALKANE : no data available

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

HYDROXY

Toxicity to bacteria

SODIUM SULFONATE C14-C16 ALKANE : no data available
HYDROXY

Biochemical Oxygen Demand (BOD)

SODIUM SULFONATE C14-C16 ALKANE : no data available
HYDROXY

Chemical Oxygen Demand (COD)

SODIUM SULFONATE C14-C16 ALKANE : no data available
HYDROXY

Additional ecological information

SODIUM SULFONATE C14-C16 ALKANE : no data available
HYDROXY

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

Dispose of in accordance with all applicable local, state and federal regulations. For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact Ashland Distribution's Environmental Services Group at 800-637-7922.

14. TRANSPORT INFORMATION

REGULATION

ID NUMBER	PROPER SHIPPING NAME	*HAZARD CLASS	SUBSIDIARY HAZARDS	PACKING GROUP	MARINE POLLUTANT / LTD. QTY.
-----------	----------------------	---------------	--------------------	---------------	------------------------------

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

Not dangerous goods

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Not dangerous goods

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

INTERNATIONAL AIR TRANSPORT ASSOCIATION - CARGO

Not dangerous goods

INTERNATIONAL MARITIME DANGEROUS GOODS

Not dangerous goods

TRANSPORT CANADA - INLAND WATERWAYS

Not dangerous goods

TRANSPORT CANADA - RAIL

Not dangerous goods

TRANSPORT CANADA - ROAD

Not dangerous goods

U.S. DOT - INLAND WATERWAYS

Not dangerous goods

U.S. DOT - RAIL

Not dangerous goods

U.S. DOT - ROAD

Not dangerous goods

*ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.	METHYLENE CHLORIDE 1,3-Dichloropropene
---	---

SARA Hazard Classification

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

Acute Health Hazard

New Jersey RTK Label Information

WATER	7732-18-5
SODIUM SULFONATE C14-C16 ALKANE HYDROXY DYE	68439-57-6

Pennsylvania RTK Label Information

WATER	7732-18-5
SODIUM SULFONATE C14-C16 ALKANE HYDROXY DYE	68439-57-6

Notification status

US. Toxic Substances Control Act	y (positive listing)
Canada. Canadian Environmental Protection Act (CEPA). Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)	y (positive listing)
Australia. Industrial Chemical (Notification and Assessment) Act	y (positive listing)
New Zealand. Inventory of Chemicals (NZIoC), as published by ERMA New Zealand	n (Negative listing)
Japan. Kashin-Hou Law List	n (Negative listing)
Korea. Toxic Chemical Control Law (TCCL) List	y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control Act	n (Negative listing)
China. Inventory of Existing Chemical Substances	y (positive listing)

	HMIS	NFPA
Health	2	2
Flammability	0	0
Physical hazards	0	
Instability		0
Specific Hazard	--	--

16. OTHER INFORMATION

ASHLAND
SAFETY DATA SHEET

Page: 11
Revision Date: 04/15/2010
Print Date: 4/22/2010
MSDS Number: R0352295
Version: 2.0

EAGLE ONE® BLUE CLEARCOAT
CONDITIONER TRIPLE FOAMING
CONDITIONER
CBOOAE316-06-CP

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by Ashland's Environmental Health and Safety Department (1-800-325-3751).